

OFFICE OF THE LIEUTENANT GOVERNOR CERTIFICATE OF ANNEXATION

I, SPENCER J. COX, LIEUTENANT GOVERNOR OF THE STATE OF UTAH, HEREBY CERTIFY THAT there has been filed in my office a notice of annexation from the JORDANELLE SPECIAL SERVICE DISTRICT, dated March 26, 2020, complying with Section 17D-1-403, Utah Code Annotated, 1953, as amended.

NOW, THEREFORE, notice is hereby given to all whom it may concern that the attached is a true and correct copy of the notice of annexation, referred to above, on file with the Office of the Lieutenant Governor pertaining to JORDANELLE SPECIAL SERVICE DISTRICT located in Wasatch County, State of Utah.



IN TESTIMONY WHEREOF, I have hereunto set my hand, and affixed the Great Seal of the State of Utah this 14th day of April, 2020 at Salt Lake City, Utah.

SPENCER J. COX Lieutenant Governor

Notice of Impending Boundary Action

Pursuant to Utah Code Annotated § 67-1a-6.5, the Wasatch County Council, acting as the Governing Body of the Jordanelle Special Service District (the "Governing Body") hereby provides the Lieutenant Governor's Office with written notice of an impending boundary action that affects Wasatch County and the Jordanelle Special Service District.

The Governing Body seeks a certificate of annexation as it relates to the Jordanelle Speci Service District. The Governing Body received a petition from the owners of Wasatch County parcels 00 0007-3069, 00-0000-3892, 00-0007-1717, 00-0021-2769, 00-0020-1743, 00-0021-2708, 00-0007-1709 00-0007-1576, 00-0021-2823, 00-0007-3622, 00-0007-3606, 00-0007-3598, 00-0021-2709, 00-0020-2710,00-0000-4668, 00-0020-175, 90-0000-1269, and Parcel STA-0404-0, requesting that those properties be annexed into the boundaries of the Jordanelle Special Service District. Thereafter, on Marce 10, 2020, the Governing Body adopted Resolution 2020-03, to annex that property into the boundaries of the District.

The Governing Body hereby certifies that the attached constitutes a true and correct copy of (
Jordanelle Special Service District Resolution 2020-03, annexing the above-described parcels into th

Jordanelle Special Service District, and (ii) the approved final local entity plat. The Governing Bod

further certifies that all the requirements for the annexation of territory into the boundaries of th

Jordanelle Special Service District have been complied with pursuant to Utah Code Ann. § 17D-1-101.

Dated this 46 day of March, 2020

Chairperson of the Ooverning Body of the Jordanelle

Special Service District

Clerk

4811-1283-1928v1

JORDANELLE SPECIAL SERVICE DISTRICT RESOLUTION NO. 2020-03

A Resolution Annexing Certain Real Property to the Jordanelle Special Service District

Affects Tax Parcel Nos. 00-0007-3069, 00-0000-3892, 00-0007-1717, 00-0021-2769, 00-0020-1743, 00-0021-2708, 00-0007-1709, 00-0007-1576, 00-0021-2823, 00-0007-3622, 00-0007-3606, 00-0007-3598, 00-0021-2709, 00-0021-2710, 00-0000-4668, 00-0020-1750, 90-0000-1269, and Parcel STA-0404-0

RECITALS

WHEREAS, the Jordanelle Special Service District (the "District") is a special service district established by the County Legislative Body of Wasatch County, Utah, pursuant to the provisions of Utah law, for the purpose of providing culinary and irrigation water delivery services within the boundaries of the District;

WHEREAS, the County Council, acting as the governing body of the District, received a petition for annexation pursuant to Utah Code Ann. § 17D-1-402, for parcels of property depicted and more particularly described on Exhibit A (collectively, the "BLX Parcel"), which are also identified as Wasatch County parcel numbers 00-0007-3069, 00-0000-3892, 00-0007-1717, 00-0021-2769, 00-0020-1743, 00-0021-2708, 00-0007-1709, 00-0007-1576, 00-0021-2823, 00-0007-3622, 00-0007-3606, 00-0007-3598, 00-0021-2709, 00-0021-2710,00-0000-4668, 00-0020-175, 90-0000-1269, and Parcel STA-0404-0.

WHEREAS, the petition was signed by the owner of all the taxable real property within the area proposed to be annexed.

WHEREAS, the petition requested that the BLX Parcel be annexed into the District.

WHEREAS, the BLX Parcel is located within a project area plan adopted by the military installation development authority ("MIDA").

WHEREAS, the District cannot annex the BLX Parcel without approval from MIDA, in accordance with Utah Code Ann. § 17D-1-401(5).

WHEREAS, the District has received a letter form MIDA indicating its approval of annexation of the BLX Parcel into the District.

NOW, THEREFORE, the Wasatch County Council, acting as the governing body of the District, hereby resolves that:

- 1. Pursuant to § 17D-1-401 and -402, the Wasatch County Council, acting as the governing body of the District, hereby approves the annexation of the area depicted and described in Exhibit A to the Jordanelle Special Service District.
- 2. The General Manager is authorized and directed to file all necessary documentation with the Lieutenant Governor required for the annexation to be effective.
- 3. Upon issuance of a Certificate of Annexation by the Lieutenant Governor, the property as described in Exhibit A shall be deemed annexed to the Twin Creeks Special Service District.

Resolution 2020-03 Approved and adopted this 10th day of March, 2020.

. Transfer Co

District Board Chairman

Attest:

District Treasurer

Exhibit A




Exhibit B

Description of Annexation Area

A parcel of land located in the Sections 33, 34, 35 and 36, Township 2 South, Range 4 East, Salt Lake Base and Meridian, and Sections 1, 2, 3, and 4, Township 3 South, Range 4 East, Salt Lake Base and Meridian, Wasatch County, Utah, described as follows:

That portion of the following described parcel lying outside the current service area of the Jordanelle Special Service District:

Beginning at a UDOT ROW monument marking the Northeast corner of the property described in that certain Record of Survey Number 3134, Recorded July 31, 2018, on file and of record at the Wasatch County Surveyor's Office, said UDOT ROW monument being North 33°08'06" West 4429.04 feet from the North Quarter Corner of said Section 25 (Basis of Bearings for the hereon described line being South 26°11'47" East 5917.16 feet from said North Quarter corner of Section 25 to the Southeast Corner of said Section 25, refer to Record of Survey Maps 2647, 3057, and 3058 on file with the Wasatch County Surveyor's Office with regards to Section 25 and 26 retracement information, and for the Mayflower LDP coordinate system projection parameters) and running coincident with the boundary described and monumented in said Record of Survey Number 3134 the following forty-seven (47) courses: 1) South 80°45'40" West 421.81 feet; thence 2) South 80°21'28" West 378.62 feet; thence 3) South 80°24'16" West 952.66 feet; thence 4) South 58°36'26" West 212.36 feet; thence 5) South 06°56'14" West 383.42 feet; thence 6) North 89°58'39" West 296.09 feet; thence 7) North 48°17'53" West 610.42 feet; thence 8) South 85°54'24" West 663.10 feet; thence 9) South 09°39'19" East 339.12 feet; thence 10) South 10°33'50" West 688.88 feet; thence 11) North 68°33'18" West 323.01 feet; thence 12) North 36°24'29" West 421.78 feet; thence 13) South 53°27'47" West 242.75 feet; thence 14) South 13°10'01" West 229.12 feet; thence 15) South 64°23'24" West 227.86 feet; thence 16) North 75°59'01" West 533.59 feet; thence 17) North 61°21'30" West 183.68 feet; thence 18) South 59°26'45" West 579.22 feet; thence 19) South 37°22'19" East 151.30 feet; thence 20) South 22°15'35" East 122.71 feet; thence 21) South 63°35'13" East 134.94 feet; thence 22) North 67°46'04" East 83.08 feet; thence 23) South 22°13'56" East 200.13 feet; thence 24) South 67°45'09" West 222.94 feet; thence 25) North 85°09'10" West 262.33 feet; thence 26) South 44°21'20" East 172.34 feet; thence 27) South 45°09'14" East 316.30 feet; thence 28) North 70°30'00" East 3.71 feet; thence 29) North 61°27'11" East 65.45 feet; thence 30) South 27°29'01" East 10.39 feet; thence 31) North 70°30'00" East 31.57 feet; thence 32) South 17°54'08" East 201.04 feet; thence 33) South 62°25'02" West 467.69 feet; thence 34) South 19°01'05" East 58.30 feet; thence 35) North 67°46'53" East 1436.92 feet; thence 36) South 19°01'05" East 397.45 feet; thence 37) South 53°00'37" West 9.34 feet; thence 38) South 71°10'54" West 43.56 feet; thence 39) South 04°23'38" East 38.60 feet; thence 40) North 76°44'41" East 47.50 feet: thence 41) South 04°55'13" West 289.98 feet; thence 42) South 04°23'38" East 313.47 feet; thence 43) North 70°59'55" East 43.70 feet; thence 44) North 52°30'17" East 900.78 feet; thence 45) South 03°59'55" East 45.51 feet; thence 46) North 85°54'49" East 304.20 feet; thence 47) North 86°10'17" East 1501.77 feet to the northwest corner of the property described in that certain Warranty Deed Entry No. 456476 (JSSD Parcel) on file and of record in the Wasatch County Recorder's Office; thence coincident with the West line of said JSSD property the following five (5) courses: 1) South 674.81 feet; thence 2) North 69°03'00" East 210.29 feet; thence 3) South 2°06'00" East 210.70 feet; thence 4) South 69°03'00" West 218.51 feet; thence 5) South 0°00'25" West 242.60 feet to a point on the northern boundary line as shown on that certain survey "Deer Valley to BLX Mayflower Record of Survey Map" (also known as Alaska Parcel survey) prepared by Matt Clark; thence coincident with the boundary line of Deer Valley as shown on said survey the following twenty-one (23) courses: 1) North 89°46'29" West 18.87

feet; thence 2) South 53.70 feet; 3) South 71°02'00" West 19.30 feet; thence 4) North 04°58'25" West 4.89 feet; thence 5) South 81°43'00" West 242.54 feet; thence 6) South 17°46'18" East 54.95 feet; thence 7) South 72°15'00" West 165.96 feet; thence 8) South 27°30'00" East 412.70 feet; thence 9) South 69°00'00" West 391.12 feet; thence 10) South 23°32'21" East 72.33 feet; thence 11) North 64°50'28" East 54.62 feet; thence 12) South 24°17'32" East 569.50 feet; thence 13) North 79°12'28" East 40.00 feet; thence 14) South 17°51'32" East 179.14 feet; thence 15) South 66°15'00" East 743.82 feet; thence 17) South 05°03'17" East 20.67 feet; thence 17) South 00°03'28" East 619.61 feet; thence 18) North 81°09'00" East 88.29 feet; thence 19) North 81°00'00" East 752.80 feet; thence 20) South 00°04'23" West 202.53 feet; thence 21) South 81°00'21" West 720.83 feet; thence 22) South 80°59'42" West 842.42 feet; thence 23) South 70°02'45" West 1586.17 feet to the northern most point of the boundary described in that certain survey "Demised Premises No. 2 Record of Survey Map" prepared by Matt Clark....

(The Basis of Bearing for the hereinafter described portion of the subject parcel being North 88°36'38" East 8030.02 feet from the Northeast corner of Section 34, Township 2 South, Range 4 East, Salt Lake Base and Meridian to the North Quarter Corner of Section 33, in said Township and Range as shown on said Demised Premises No. 2 Record of Survey Map and "Demised Premises No. 1 Record of Survey Map" prepared by Matt Clark. Refer to Record of Survey Map S-8175 prepared by Loyal D. Olsen III ,on file with the Summit County Recorder's Office for information regarding the Flagstaff LDP coordinate system projection parameters which applies to the remainder of the hereon described line.)

....thence coincident with the boundary line of said Demised Premises No. 2 South 70°01'12" West 1113.32 feet to the Lucy (Lot 152); thence coincident with said Lucy (Lot 152) the following (2) two courses: 1) North 44°46'22" West 118.07 feet; thence 2) South 88°13'34" West 861.81 feet to the West Section Line of Section 26 Township 2 South, Range 4 East, Salt Lake base and Meridian; thence coincident with said West Section Line South 0°43'39" East 452.69 feet to the South line of said Lucy (Lot 152); thence along said South line North 87°49'01" East 163.66 feet to a point on the West line of said Demise Premises No. 2; thence coincident with said Demise Premises No. 2 boundary the following (4) four courses: 1) South 11°28'52" East 530.80 feet; thence 2) South 82°10'47" West 556.62 feet; thence 3) South 13°24'13" East 283.45 feet; thence 4) South 56°50'08" West 365.45 feet to the North line of Section 27, Township 2 South, Range 4 East, Salt Lake base and Meridian; thence continuing coincident with said Demised Premises No.2 the following four (4) courses: 1) South 56°50'08" West 185.00 feet; thence 2) South 87°34'30" West 4.69 feet; thence 3) North 06°12'30" West 35.86 feet; thence 4) South 82°05'30" West 923.07 feet to a point on the Sitka claim (MS 7126); thence coincident with said Sitka claim the following four (4) courses: 1) North 13°02'33" West 1249.19 feet; thence 2) North 89°36'39" West 39.00 feet; thence 3) South 43°35'21" West 668.57 feet; thence 4) South 13°50'19" East 905.59 feet to a point on said Demised Premises No. 2; thence coincident with Demised No. 2 South 06°19'58" East 532.78 feet to a point on the Demised Premises No. 1 unrecorded Record of Survey by Matt Clark; thence coincident with said Demised Premises No. 1 North 89°37'39" West 1423.23 feet to a point on the Wasatch/Summit county line; thence coincident with the county line the following sixteen (16) courses: 1) South 29°52'34" West 714.41 feet; thence 2) South 04°18'01" West 1322.38 feet; thence 3) South 47°04'26" West 369.50 feet; thence 4) South 83°31'07" West 69.18 feet; thence 5) South 47°39'51" West 1208.42 feet; thence 6) North 39°52'18" West 1353.29 feet; thence 7) North 72°51'28" West 317.37 feet; thence 8) North 46°46'27" West 87.92 feet; thence 9) North 70°58'27" West 502.11 feet; thence 10) North 51°57'26" West 482.01 feet; thence 11) North 55°54'50" West 467.38 feet; thence 12) North 21°50'50" West 317.79 feet; thence 13) North 60°00'31" West 360.47 feet; thence 14) North 33°24'35" West 467.46 feet; thence 15) South 85°09'29" West 492.47 feet; thence 16) South 54°41'51" West 250.41 feet to a point on the boundary line

described in Record of Survey S-8175 on file and of record in the Wasatch County Surveyor's office; thence coincident with said boundary line the following thirty (30) courses: 1) South 36°31'26" East 226.02 feet; thence 2) South 58°21'17" West 172.11 feet; thence 3) South 26°45'20" East 172.64 feet; thence 4) North 58°12'06" East 237.41 feet; thence 5) South 48°05'15" East 447.60 feet; thence 6) South 58°31'21" West 803.39 feet; thence 7) South 48°06'43" East 81.93 feet; thence 8) South 60°24'51" West 121.14 feet; thence 9) South 30°21'05" East 199.83 feet; thence 10) North 60°41'41" East 185.73 feet; thence 11) South 48°06'40" East 333.16 feet; thence 12) North 58°39'28" East 97.81 feet; thence 13) South 33°09'47" West 681.69 feet; thence 14) South 55°38'54" East 602.48 feet; thence 15) North 34°21'06" East 16.42 feet; thence 16) South 56°12'41" East 547.00 feet; thence 17) South 46°54'13" West 95.37 feet; thence 18) South 87°10'58" West 543.91 feet; thence 19) South 10°26'29" East 581.68 feet; thence 20) North 88°17'21" East 227.28 feet; thence 21) South 46°36'31" West 125.67 feet; thence 22) South 87°09'50" East 536.98 feet; thence 23) South 2°39'23" West 500.05 feet; thence 24) North 87°09'13" West 1021.18 feet; thence 25) North 2°39'23" East 437.84 feet; 26) South 46°40'12" West 480.15 feet; thence 27) South 03°10'46" West 107.26 feet; thence 28) South 43°42'42" West 526.05 feet; thence 29) North 87°36'59" East 203.69 feet; thence 30) South 02°36'10" West 599.684 feet; thence South 4497.07 feet, more or less, to the South line of Section 4 Township 3 South Range 4 East Salt Lake Base and Meridian; thence coincident with said section line North 89°57'10" East 3062.65 feet more or less to the Southeast Corner of said Section 4; thence coincident with the South line of Section 3 Township 3 South Range 4 East Salt Lake Base and Meridian South 89°53'41" East 5287.16 feet more or less to the Southeast Corner of said Section 3...

(The Basis of Bearing for the hereinafter described portion of the subject parcel being South 26°11'47" East 5917.16 feet from said North Quarter corner of Section 25 to the Southeast Corner of said Section 25, refer to Record of Survey Maps 2647, 3057, and 3058 on file with the Wasatch County Surveyor's Office with regards to Section 25 and 26 retracement information, and for the Mayflower LDP coordinate system projection parameters)

...thence coincident with the South line of Section 2 South 89°59'12" East 5280.00 feet more or less to the Southeast corner of said Section 2 Township 3 South Range 4 East Salt Lake Base and Meridian; thence coincident with the East line of said Section 2 North 00°00'48" East 196.68 feet to the Southwest corner of Section 1 Township 3 South Range 4 East Salt Lake Base and Meridian; thence coincident with the South line of said Section 1 South 89°59'12" East 4437.25 feet, more or less, to a point on the west right of way of US40; thence coincident with the west right of way line of US40 more or less the following fifty-two (52) courses: 1) North 03°11'33" West 4254.15 feet to a point on a non tangent curve to the right having a radius of 24711.97 feet, of which the radius point bears South 89°44'11" East; thence 2) northerly along the arc of said curve 2182.27 feet through a central angle of 05°03'35" to a point of compound curve to the right having a radius of 289.76 feet, of which the radius point bears South 84°40'36" East; thence 3) northeasterly along the arc of said curve 387.10 feet through a central angle of 76°32'37"; thence 4) North 74°31'38" East 704.71 feet; thence 5) North 31°27'42" East 807.06 feet; thence 6) North 28°31'39" East 430.16 feet; thence 7) North 20°00'55" East 202.05 feet; thence 8) North 28°32'00" East 269.50 feet; thence 9) North 26°48'06" East 417.23 feet; thence 10) North 18°09'16" East 325.76 feet; thence 11) North 13°27'15" East 369.49 feet to a point on a non tangent curve to the left having a radius of 3103.00 feet, of which the radius point bears North 89°04'13" West; thence 12) northerly along the arc of said curve 614.74 feet through a central angle of 11°21'03"; thence 13) North 11°55'37" West 394.01 feet; thence 14) North 25°45'45" West 310.77 feet, more or less, to the North line of said Section 31 Township 2 South Range 5 East Salt Lake Base and Meridian; thence 15) continuing North 25°45'45" West 93.50 feet to a point on a curve to the left having a radius of 199.15 feet, of which the radius point bears South 64°14'15" West; thence 16) along the arc of said curve 176.35 feet through a central angle of 50°44'10" to a point on a non tangent curve to the right

having a radius of 346.93 feet, of which the radius point bears North 11°24'24" East; thence 17) westerly along the arc of said curve 116.17 feet through a central angle of 19°11'11" to a point on a non tangent curve to the left having a radius of 5269.58 feet, of which the radius point bears South 70°31'53" West; thence 18) northerly along the arc of said curve 554.35 feet through a central angle of 06°01'39"; thence 19) South 43°19'19" West 126.13 feet; thence 20) North 46°43'07" West 154.73 feet; thence 21) North 21°20'17" West 544.17 feet; thence 22) North 50°47'53" West 505.02 feet; thence 23) North 18°47'08" West 632.92 feet; thence 24) North 28°39'34" West 343.57 feet; thence 25) North 19°15'58" West 206.82 feet; thence 26) North 08°18'07" East 271.52 feet; thence 27) North 26°58'07" West 373.69 feet to a point on a curve to the left having a radius of 5629.58 feet, of which the radius point bears South 63°01'53" West; thence 28) along the arc of said curve 393.02 feet through a central angle of 04°00'00"; thence 29) North 30°58'07" West 232.72 feet; thence 30) North 46°11'55" West 208.95 feet; thence 31) North 10°49'13" West 221.70 feet; thence 32) North 24°58'07" West 218.13 feet; thence 33) North 38°30'49" West 279.61 feet; thence 34) North 43°58'07" West 177.72 feet to a point on a curve to the right having a radius of 2984.79 feet, of which the radius point bears North 46°01'53" East; thence 35) along the arc of said curve 648.58 feet through a central angle of 12°27'00"; thence 36) North 31°31'07" West 76.73 feet; thence 37) North 31°31'08" West 253.24 feet; thence 38) North 14°12'29" West 300.60 feet; thence 39) North 26°31'07" West 103.05 feet to a point on a curve to the left having a radius of 904.93 feet, of which the radius point bears South 63°28'53" West; thence 40) along the arc of said curve 366.42 feet through a central angle of 23°12'00"; thence 41) North 56°17'37" West 262.00 feet; thence 42) North 38°24'31" West 152.97 feet; thence 43) North 49°43'07" West 500.00 feet; thence 44) North 59°10'51" West 182.48 feet; thence 45) North 38°21'36" West 152.32 feet to a point on a non tangent curve to the right having a radius of 766.20 feet, of which the radius point bears North 40°16'53" East; thence 46) northwesterly along the arc of said curve 484.76 feet through a central angle of 36°15'00"; thence 47) North 13°28'07" West 363.31 feet; thence 48) North 29°10'41" West 440.33 feet; thence 49) North 26°11'52" West 493.02 feet; thence 50) North 32°01'07" West 158.82 feet to a point on a curve to the left having a radius of 522.96 feet, of which the radius point bears South 57°58'53" West; thence 51) along the arc of said curve 357.49 feet through a central angle of 39°10'00"; thence 52) North 71°21'28" West 260.38 feet to the POINT OF BEGINNING.

LESS AND EXCEPTING any and all lands owned by the State of Utah and/or The United States of America.

ALSO LESS AND EXCEPTING any and all land more specifically described in that certain Warranty Deed recorded as Entry No. 282827 on file and of record in the Wasatch County Recorder's office.

Description of Annexation Area

A parcel of land located in Sections 33, 34, 35, and 36 Township 2 South, Range 4 East, Salt Lake Base and Meridian; and Sections 2, 3, and 4, Township 3 South, Range 4 East, Salt Lake Base and Meridian; and the Southwest quarter of Section 31, Township 2 South, Range 5 East, Salt Lake Base and Meridian, Wasatch County, Utah, MIDA Jurisdiction, said parcel of land being described as follows:

Beginning at the east quarter corner of Section 36, Township 2 South, Range 4 East, Salt Lake Base and Meridian, a 1994 BLM aluminum cap; thence coincident with the north line of Government Lot 3, Section 31, Township 2 South, Range 4 East, Salt Lake Base and Meridian North 89°55'23" East 665.45 feet more or less to the westerly right-of-way line of US Highway 40; thence coincident with the said right-of-way line the following (9) courses: 1) South 19.56'16" West 127.76 feet; thence 2) South 28°32'00" West 430.60 feet; thence 3) South 31°24'43" West 808.22 feet; thence 4) South 75°43'32" West 680.32 feet; thence 5) South 63°25'53" West 366.14 feet; thence 6) South 19°08'24" West 303.81 feet; thence 7) South 01°57'49" West 224.00 feet; thence 8) South 28°15'07" East 358.44 feet; thence 9) South 04'38'04" West 346.63 feet to the south line of said Section 36; thence coincident with said south line the following (2) courses: 1) North 89'36'53" West 1641.16 feet; thence 2) South 88°21'13" West 2613.46 feet to the southwest corner of said section 36. a 2018 Wasatch County Aluminum Cap and Pipe; thence South 8816'37" West 49.47 feet to a marked stone monument for the closing corner of Section 2, Township 3 South, Range 4 East, Salt Lake Base and Meridian; thence coincident with the east line of said Section 2 South 00°01' East 5451.60 feet more or less (record South 00°01' East 82.60 chains) to the southeast corner of said Section 2; thence coincident with the south line of said Section 2 South 89°32'32" West 5259.33 feet more or less (record North 89°54' West 80.00 chains) to the southeast corner of Section 3 Township 3 South, Range 4 East, Salt Lake Base and Meridian; thence coincident with the south line of said Section 3 South 89°54'17" West 5282.50 feet more or less (North 89°54' West 80.10 chains) to the southeast corner of Section 4 Township 3 South, Range 4 East, Salt Lake Base and Meridian; thence coincident with the west line of said Section 4 North 00°02'08" West 2686.09 feet more or less (record North 00°02' West 41.18 chains) to the common quarter corner of said sections 3 and 4, a 3 1/4 inch aluminum cap monument set in 2019; thence North 00°02'11" West 1309.55 feet (record North 00°02' West) to the north 1/16th corner of sections 3 and 4, monumented with a 3 1/4 inch aluminum cap set in 2019; thence coincident with the east—west centerline of the northeast quarter and the north line of Lot 13 of said Section 4 (see supplemental plat of August 30, 1920) South 89°42'00" West 657.37 feet (Flagstaff Projection South 89'40'21" West 657.44 feet) to the northwest corner of said Lot 13 and the southwest corner of Lot 8 of said Section 4 (see supplemental plat of August 30, 1920) monumented with a 3 1/4 inch aluminum cap set in 2019; thence coincident with line 3-2 of the Homestead Lode MS 3792 South 02'59'56" West 200.45 feet (Flagstaff Projection South 02'58'18" West 201.08 feet) to corner No. 2 of the Autumn Gold Lode MS 3792, thereof identical with corner No. 3 of said Homestead Lode MS 3792, monumented with a 3 1/4 inch aluminum cap set in 2019; thence coincident with the 3-2 line of said Autumn Gold Lode MS 3792 South 02°59'56" West 511.76 feet (Flaastaff Projection South 02°58'18" West 511.20 feet) to corner No. 3 thereof, monumented with a 3 ¼ inch aluminum cap set in 2019; thence coincident with the 4-3 line of said Autumn Gold Lode MS 3792 North 87'10'02" West 1404.64 feet (Flagstaff Projection North 8711'40" West 1404.79 feet) to corner No. 4 thereof, monumented with a 3 ¼ inch aluminum cap set in 2019; thence coincident with 1-4 line of said Autumn Gold Lode MS 3792 North 02'59'56" East 511.32 feet (Flagstaff Projection North 02'58'18" East 511.50 feet) to corner 1 thereof, identical with corner No. 4 of the Homestead Lode MS 3792, monumented with a 3 1/4 inch aluminum cap set in 2019; thence coincident with the 1-4 line of said Homestead Lode MS 3792 North 02°59'56" East 600.00 feet (Flagstaff Projection North 02°58'18" East 600.00 feet) to corner No. 1 thereof, identical with corner No. 4 of the Red Bird Lode MS 3792 and corner No. 3 of the Meadow Lode MS 3792, monumented with a 3 1/4 inch aluminum cap set in 2019; thence coincident with line 4-3 of said Meadow Lode MS 3792 North 87°06'07" West 1021.11 feet (Flagstaff Projection North 87°07'45" West 1021.22 feet) to corner No. 4 thereof, monumented with a 3 ¼ inch aluminum cap set in 2014 (see ROS 2634); thence coincident with line 1-4 of said Meadow Lode MS 3792 North 02°40'01" East 599.63 feet (Flagstaff Projection North 02°36'10" East 599.68 feet) to corner No. 1 thereof, identical with corner No. 4 of the Lake View No. 2 Lode MS 3792, monumented with a 3 1/4 inch aluminum cap

Description of Annexation Area (continued)

...... thence coincident with line 1-4 of said Lake View No. 2 MS 3792 North 02°40'01" 225.41 feet (Flagstaff Projection North 02°43'43" East 225.44 feet) to intersection of Line 1-4 of the Lake View No. 2 Lode MS 3792, and the Township Line between T.2.\$., R. 4 E., and T.3 S., R.4 E., monumented with a 2 inch pluminum cap set in 2014 (see ROS 2634) and as described in that certain Record of Survey 2634, recorded November 11, 2014, in the Wasatch County Recorder's Office; thence coincident with the boundary line surveyed in said Record of Survey 2634 the following (32) courses: 1) South 87°38'37" West 203.67 feet (Flagstaff Projection South 87°36'58" West 203.69 feet); thence 2) North 43°41'03" West 548.11 feet (Flagstaff Projection North 43°42'42" West 548.17 feet); thence 3) North 03°12'25" East 107.25 feet (Flagstaff Projection North 0310'46" East 107.26 feet); thence 4) North 46'41'50" East 480.10 feet (Flagstaff Projection North 46'40'11" East 480 15 feet); thence 5) South 02'41'02" West 437.79 feet (Flagstaff Projection South 02'39'23" West 437.84 feet); thence 6) South 87'08'11" East 265.56 feet (Flagstaff Projection South 87°09'50" East 265.59 feet); thence 7) South 87°08'11" East 1021.07 feet (Flagstaff Projection South 87°09'13" East 1021.18 feet); thence 8) North 02°41'01" East 500.00 feet (Flagstaff Projection North 02°39'23" East 500.05 feet); thence 9) North 87'06'56" West 615.46 feet (Flagstaff Projection North 87'08'35" West 615.52 feet); thence 10) North 15°06'33" East 102.10 feet (Flagstaff Projection North 15°04'55" East 102.10 feet); thence 11) North 87°08'11" West 536.92 feet (Flagstaff Projection North 87'09'49" West 536.98 feet); thence 12) North 46'38'09" East 125.66 feet (Flagstaff Projection North 46'36'31" East 125.67 feet); thence 13) South 88'19'00" West 227.75 feet (Flagstaff Projection South 88°17'21" West 227.18 feet); thence 14) North 10°28'07" East 581.62 feet (Flagstaff Projection North 10°26'29" East 581.68 feet); thence 15) North 87°12'36" East 543.85 feet (Flagstaff Projection North 87°10'58" East 543.91 feet); thence 16) North 46°55'51" East 95.36 feet (Flagstaff Projection North 46'54'13" East 95.37 feet); thence 17) North 56'11'03" West 546.94 feet (Flagstaff Projection North 56'12'41" West 547.00 feet); thence 18) South 32'26'44" West 16.43 feet (Flagstaff Projection South 32°25'00" West 16.43 feet); thence 19) North 55°37'16" West 602.97 feet (Flagstaff Projection North 55°38'54" West 603.03 feet); thence 20) North 33"11'26" East 681.62 feet (Flagstaff Projection North 33"09'47" East 681.69 feet); thence 21) South 58'41'06" West 97.80 feet (Flagstaff Projection South 58'39'28" West 97.81 feet); thence 22) North 48'05'02" West 333.13 feet (Flagstaff Projection North 48'06'40" West 333.16 feet); thence 23) South 60'43'19" West 185.71 feet (Flagstaff Projection South 60°41'41" West 185.73 feet); thence 24) North 30°19'26" West 199.81 feet (Flagstaff Projection North 30°21'05" West 199.83 feet); thence 25) North 60°26'29" East 121.13 feet (Flagstaff Projection North 60°24'51" East 121.14 feet); thence 26) North 48°05'04" West 81.92 feet (Flagstaff Projection North 48°06'43" West 81.93 feet); thence 27) North 58°32'59" East 803.31 feet (Flagstaff Projection North 58°31'21" East 803.39 feet); thence 28) North 48°03'36" West 447.56 feet (Flagstaff Projection North 48'05'15" West 447.60 feet); thence 29) South 58'13'45" West 237.38 feet (Flagstaff Projection South 48'05'15" West 237.41 feet); thence 30) North 26'43'42" West 172.63 feet (Flagstaff Projection North 26'45'20" West 172.64 feet); thence 31) North 58'22'56" East 172.09 feet (Flagstaff Projection North 58°21'17" East 172.11 feet); thence 32) North 36°36'05" West 226.01 feet more or less (Flagstaff Projection North 36°26'45" West) to the Summit and Wasatch County line; thence coincident with said Summit and Wasatch County line the following (16) courses: 1) North 54*43'30" East 250.79 feet (record North 54'42'30" East) to county line corner No. 72; thence 2) North 85'11'28" East 492.41 feet (record North 85'10'30" East 492.30' feet) to county line corner No. 71, monumented with 1935 brass cap; thence 3) South 33°23'10" East 467.37 feet (record South 33°22'30" East 467.10' feet) to county line corner Np. 70a, monumented with 3 ¼ inch aluminum pipe cap; thence 4) South 59°58'53" East 360.43 feet (record \$outh 59°57' East 360.50' feet) to county line corner No. 10, monumented with 3 ¼ inch aluminum pipe cap; thence 5) South 21°49'11" East 317.76 feet (record South 21°49' East 317.40' feet) to county line corner No. 69, monumented with 3 ¼ inch aluminum pipe cap; thence 6) South 55°53'11" East 467.33 feet (record South 55°53' East 466.80' feet) to county line corner No. 68, monumented with 1935 brass cap; thence 7) South 51°55'48" East 481.96 feet (record South 51°56' East 481.90' feet) to county line corner No. 67, monumented with 3 1/4 inch aluminum pipe cap; thence 8) South 70°56'49" East 502.06 feet (record South 70°57' East 502.00' feet) to county line corner No. 66, monumented with 3 1/4 inch aluminum pipe cap; thence 9) South 46°44'51" East 87.91 feet (record South 46°45' East 87.90' feet) to county line corner No. 65, monumented with 3 1/4 inch aluminum pipe cap; thence 10) South 72'49'49" East 317.34 feet (record North 72'50' East 317.30' feet) to county line corner No. 64, monumented with 1935 brass cap; thence 11) South

Description of Annexation Area (continued)

...... 12) North 47°41'30" East 1208.30 feet (record North 47°42' East 1207.40' feet) to county line corner No. 59; thence 13) North 83°33'33" East 69.15 feet (record North 83°34' East 69.10' feet) to county line corner, monumented with 1935 brass cap; thence 14) North 47°06'05" East 369.48 feet (record North 47°05' East 369.50' feet) to county line corner No. 58, monumented with 1935 brass cap; thence 15) North 04'19'40" East 1322.24 feet (record North 04'19' East 1320.70' feet) to county line corner No. 55, monumented with 1935 brass cap; thence 16) North 29°54'12" East 714.34 feet more or less (record North 29°50' East) to the northerly boundary line of the Demised Premises 1 as described in Exhibit F of that certain Easement Agreement, recorded August 1, 2019, as Entry No. 466266 in the Wasatch County Recorder's Office; thence coincident with said northerly boundary line South 89°36'00" East 1423.08 feet to the westerly boundary line of the Demised Premises 2 as described in said Exhibit F; thence coincident with said westerly boundary line North 06°18'56" West 532.88 feet to the southwest corner of the Sitka Mine Claim MS 7126; thence coincident with the westerly boundary line of said Sitka Mine Claim North 13°35'06" West 303.72 feet to the north line of Section 34, Township 2 South, Range 4 East, Salt Lake Base and Meridian; thence coincident with said north line North 88'34'01" East 599.45 feet to the easterly boundary line of said Sitka Mine Claim; thence coincident with said easterly line South 12*48'51" East 168.53 feet to the northerly boundary line of said Demised Premises 2; thence coincident with said northerly line the following (4) courses: 1) North 82°07'09" East 923.07 feet; thence 2) South 06°10'51" East 35.86 feet; thence 3) North 87°36'09" East 4.69 feet; thence 4) North 56°51'46" East 184.98 feet to the north line of said Section 34; thence coincident with said north line North 88°34'01" East 539.25 feet to the northwest corner of said Section 35, Township 2 South, Range 4 East, Salt Lake Base and Meridian monumented with a 2016 Wasatch County aluminum pipe cap; thence coincident with the north line of said Section 35 the following (2) courses: 1) South 88°46'49" East 2575.01 feet to a 2016 Wasatch County aluminum pipe cap; thence 2) South 88°47'14" East 2574.99 feet to the northwest corner of said Section 36 monumented with a New Park Survey brass cap; thence coincident with the north line of said Section 36 the following (2) courses: 1) North 89°18'12" East 2553.71 feet to a 2014 Wasatch County aluminum pipe cap; thence 2) North 89°17'47" East 2553.71 feet to the northeast corner of said Section 36 monumented with a 1937 brass cap; thence coincident with the east line of said Section 36 South 00°14'49" East 2626.44 feet to the east quarter corner of said section 36. said point also being the point of beginning.


LESS AND EXCEPTING any and all lands owned by the State of Utah and/or The United States of America.

ALSO LESS AND EXCEPTING any and all land more specifically described in that certain Warranty Deed recorded as Entry No. 282827 on file and of record in the Wasatch County Recorder's office.

CHARLES GALA,TI

SURVEYOR'S CERTIFICATE

I. Charles Galati, certify that I am a Professional Land Surveyor and that I hold License No. 7248891, as prescribed by the laws of the State of Utah. I further certify that this plat has been prepared to meet the provisions per Utah Code Annotated 17-23-20(4) under my direct supervision and that the annexation to Jordanelle Special Service District is correctly shown hereon. No field survey was performed as part of this plat.



(435) 649-9467

CONSULTING ENGINEERS LAND PLANNERS SURVEYORS

23 Main Street P.O. Box 2664 Park City, Utah 84060—2664

WASATCH COUNTY SURVEYOR APPROVED AS TO FORM ON THIS 23 DAY OF MARCH , 2020.

Wasatch County Surveyor

LOCATED IN SECTION 33, 34, 35 AND 36, TOWNSHIP 2 SOUTH, RANGE 4 EAST; AND SECTIONS 2, 3 AND 4, TOWNSHIP 3 SOUTH, RANGE 4 EAST; AND THE SOUTHWEST QUARTER OF SECTION 31, TOWNSHIP 2 SOUTH, RANGE 5 EAST, SALT LAKE BASE AND MERIDIAN, WASATCH COUNTY, UTAH, MIDA JURISDICTION

RDANELLE SPECIAL SERVICE DISTRICT AND SPECIAL IMPROVEMENT DISTRICT Jarch

JOB NO.: 18-8-18 FILE: X:\WasatchCounty\dwg\Mayflower 2019\JSSD\JSSD Annex Plat.dwg RECORDED STATE OF UTAH, COUNTY OF WASATCH, AND FILED AT THE REQUEST OF _____ DATE _____ TIME ____ BOOK ____ PAGE___ ENTRY NO. RECORDER